



MEDICAL DIAGNOSTIC LABORATORIES

2439 KUSER ROAD

HAMILTON, NJ 08690-3303

TL: 609-570-1000 FX: 609-570-1050 TF: 877-269-0090

www.mdlab.com

Final

Test Results

MDL#: 8875032

Patient Information: SSN: N/A DOB: 1/1/1978 (Age:43)	Ordering Physician/Lab: NPI: 1234567890
DOE, JANE 123 MAIN ROAD MARLTON, NJ 08053	DOE WOMANS GROUP JOHN DOE, MD 555 SMITH STREET ANYTOWN, NJ 55555
Sex: Female Home: (856) 555-5555	Tel: (856) 555-5552 Fax: (856) 555-5553

Patient ID: _____ Date Received: 3/17/2020 Date Reported: 3/23/2020

Test	Specimen	Date Collected Comment	Results		Reference/Units/Comments
			Normal	Abnormal	
SARS-CoV-2 [COVID-19] by Reverse Transcriptase Real-Time PCR (CDC N1, N2, RP Assay) 1131 Verified 3/23/2020	Swab - 1	3/16/2020 Anterior Nares	Not Detected		A Not Detected result does not exclude COVID-19 and should not be used as the sole basis for patient management or treatment decisions.

*This test was developed and its performance characteristics determined by Medical Diagnostic Laboratories, L.L.C. It has not been cleared or approved by the U.S. Food and Drug Administration. The FDA has determined that such clearance or approval is not necessary.

Swab-1;1131:SARS-CoV-2 [COVID-19] by Reverse Transcriptase Real-Time PCR (CDC N1, N2, RP Assay)

This test was developed and its performance characteristics determined by Medical Diagnostic Laboratories L.L.C. This test has not been FDA cleared or approved. This test has been authorized by the FDA under an Emergency Use Authorization (EUA). This test has been validated in accordance with the FDA's Guidance Document "Policy for Diagnostics Testing in Laboratories Certified to Perform High Complexity Testing under CLIA prior to Emergency Use Authorization for Coronavirus Disease-2019 during the Public Health Emergency" issued on February 29, 2020. FDA-independent review of this validation is pending. This test is only authorized for the duration of time the declaration that circumstances exist justifying the authorization of the emergency use of in vitro diagnostic tests for detection of SARS-CoV-2 virus and/or diagnosis of COVID-19 infection under section 564 (b) (1) of the Act, 21 U.S.C. 360bbb-3 (b) (1), unless the authorization is terminated or revoked sooner.

A positive result is provided for bacteria, virus, parasites, and/or fungal species when PCR amplification (real-time PCR), sequence information (Pyrosequencing), and/or sequencing analysis occurs above cut-off levels established by the laboratory. Pertinent reference intervals for the tests reported above are available from the laboratory upon request.

View: M

Mail: Yes	USPS
None	Yes

Fax: Yes	Manual
None	No

Medical Director, Jing-Jing Yang, M.D.