OneSwab[®]

One Vial... Multiple Pathogens

Simple & Convenient Multipurpose Specimen Collection



LOT

OneSwab Medical Diagnostic Laboratorie

> Medical Diagnostic Laboratories www.mdlab.com • Toll Free 877 269 0090





Upd.: 6.2025

Available off the **OneSwab®**

SEXUALLY TRANSMITTED INFECTIONS

Leukorrhea Panel

- Chlamydia trachomatis (*Reflex to antibiotic resistance by Molecular Analysis)
 Neisseria gonorrhoeae (*Reflex to antibiotic resistance by Molecular Analysis)
 Trichomonas vaginalis (Reflex to metronidazole resistance)
- Mycoplasma genitalium (*Reflex to antibiotic resistance by Molecular Analysis)

Genital Ulcer Disease Panel

- Haemophilus ducreyi
 Herpes subtype (HSV-1 & HSV-2)
 Treponema pallidum (syphilis)

HPV Type-Detect[®] 4.0 by Multiplex Real-Time PCR

VAGINITIS & VAGINOSIS

Bacterial Vaginosis (BV) Panel with Lactobacillus Profiling by qPCR [Fannyhessea vaginae (Atopobium vaginae), BVAB1, BVAB2, BVAB3, Bacteroides fragilis, Bifidobacterium breve, Megasphaera Type 1 & 2, Gardnerella vaginalis, Mobiluncus curtisii, M. mulieris, Prevotella bivia, Sneathia sanguinegens, Streptococcus anginosus]

Aerobic Vaginitis (AV) Panel

- Enterococcus faecalis
 Escherichia coli
- Group B Streptococcus (GBS) Staphylococcus aureus

- Candida Vaginitis Panel Candida albicans Candida glabrata Candida krusei Candida parapsilosis
 Candida tropicalis

 - Urogenital Mycoplasma & Ureaplasma Panel
 Mycoplasma genitalium (*Reflex to antibiotic resistance by Molecular Analysis)

 - Mycoplasma hominis
 Ureaplasma urealyticum (*Reflex to antibiotic resistance by Molecular Analysis)

PREGNANCY

- Group B Streptococcus (GBS)
 Group B Streptococcus (GBS) Antibiotic Resistance
- Gleimia europaea (Actinomyces europaeus)
 Actinomyces israelii Schaalia (Actinomyces) turicensis
- Bacteroidès fragilis
 Bacteroides ureolyticus
- Fluconazole resistance by X-Plate Technology[®]:
 - Candida parapsilosis
 Candida tropicalis
- Candida albicans
 Candida glabrata
 Candida dubliniensis
 Candida kefyr
 Candida lusitaniae
 Cytomegalovirus (CMM)
- Cytomegalovirus (CMV)
 Eggerthella species
 Enterobacter cloacae

- Group A Streptococcus
 Klebsiella oxytoca
 Klebsiella pneumoniae
- Lymphogranuloma venereum (LGV)
 Mobiluncus mulieris & Mobiluncus curtisii

- Mobiluncus mulieris & Mobiluncus curtisii
 Molluscum contagiosum virus
 MRSA: Methicillin Resistant and Methicillin Susceptible (MSSA) Staphylococcus aureus
 CA-MRSA: Community-Associated MRSA. Panton-Valentine Leukocidin (PVL) DNA
 N. gonorrhoeae* & C. trachomatis* Prevotella species Group 1 (P. bivia, P disiens, P. intermedia, P. melaninogenica)
 Prevotella Species Group 2 (P. corporis, P. albensis)
 Proteus mirabilis

- Proteus mirabilis
- Pseudomonas aeruginosa
- Serratia marcescens
- Staphylococcus saprophyticus
 Urogenital Mycoplasma Panel (*M. genitalium** & *M. hominis*)
 Varicella-zoster virus (VZV)

GENETIC CARRIER SCREENING

- Cystic Fibrosis Core Test by Sanger Sequencing (23 major CFTR mutations approved by ACOG/ACMG) Cystic Fibrosis Comprehensive Test by Sanger Sequencing (191 variants of the CFTR gene, including
 - the 23 major mutations approved by ACOG/ACMG) Cystic Fibrosis Site Specific Analysis by DNA Sequencing
 - Šickle Cell Anemia by Sanger Sequencing

OneSwab® MULTIPLE PATHOGENS

The introduction of molecular techniques, such as the Polymerase Chain Reaction (PCR) method, offers a superior route of pathogen detection with a high diagnostic specificity and sensitivity. MDL offers a number of assays for the detection of multiple pathogens associated with sexually transmitted diseases and gynecologic infections. The unrivaled sensitivity and specificity of the Real-Time PCR method in detecting infectious agents provides the clinician with an accurate and rapid means of diagnosis. This valuable diagnostic tool will assist the clinician with diagnosis, early detection, patient stratification, drug prescription, and prognosis. Tests currently available utilizing the OneSwab® specimen collection platform are listed to the side.

- · One vial, multiple pathogens
- DNA amplification via PCR technology
- Microbial drug resistance profiling
 - High precision robotic accuracy
 - High diagnostic sensitivity & specificity
 - Specimen viability up to 5 days after collection
- Test additions available up to 30 days after collection
- No refrigeration required before or after collection
- Blood and excess mucus will not affect results



* Reflex to antibiotic resistance by Molecular Analysis





LOT

Available Exclusively From



Expanded Bacterial Vaginosis (BV) Testing

MDL has expanded the Bacterial Vaginosis (BV) Panel with Lactobacillus Profiling by qPCR test to allow for a more sensitive and specific determination of BV status, especially when considering the variation among patient vaginal microbial composition and the complex interactions that occur leading to dysbiosis. As BV can be a polymicrobial infectious process involving species that differ among patients with overlapping symptoms with other vaginal disorders, it is critical for an accurate diagnosis to include a comprehensive selection of "pathogenic" bacteria when testing for BV. It also is important to include the detection of Lactobacilli that support vaginal health, whether naturally occurring or introduced by probiotic use, as well as any bacteria that more accurately indicate the transition between a healthy, stable vaginal flora and BV flora.

Test 759 Bacterial Vaginosis (BV) Panel with Lactobacillus Profiling by gPCR Includes

- Fannyhessea vaginae (Atopobium vaginae)
- Bacterial Vaginosis Associated Bacteria 1 (BVAB1)
- Bacterial Vaginosis Associated Bacteria 2 (BVAB2)
- Bacterial Vaginosis Associated Bacteria 3 (BVAB3)
- Bacteroides fragilis
- Bifidobacterium breve
- Gardnerella vaginalis
- Megasphaera type 1
- Megasphaera type 2
- Mobiluncus curtisii

- Mobiluncus mulieris
- Prevotella bivia
- Sneathia sanguinegens
- Streptococcus anginosus
- Lactobacillus crispatus
- Lactobacillus gasseri
- Lactobacillus jensenii
- Lactobacillus iners
- Lactobacillus acidophilus

Advantages:

- Includes 14 BV-associated organisms with Lactobacillus Profiling
- Improved sensitivity and specificity to better correlate symptom presentations with BV status
- Improved resolution and definition of transitional BV.
- MDL's BV Panel accounts for more than 99% of BV infections. •
- F. vaginae (A. vaginae) is frequently co-existent with Gardnerella, and both can be resistant to metronidazóle.
- F. vaginae (A. vaginae), Megasphaera and BVAB2 cannot be detected under the microscope.
- Accurate vaginal microbiome assessment with Lactobacillus profiling at no additional charge.
- Lactobacillus profiling indicates the concentration of pathogenic bacteria relative to lactobacillus, enabling tailored treatment decisions based on the pathogen and infection severity.
- Includes Lactobacillus acidophilus, a common probiotic bacteria used to treat BV and establish a healthy vaginal microenvironment.

References:

ThinPrep

- 1. Diagnosis of Vaginitis 2022, October 31. "Diagnosis of Vaginitis".
- https://www.aetna.com/cpb/medical/data/600_699/0643.html Workowski KA, Bachmann LH, Chan PA, et al. 2021, July 23. "Sexually Transmitted Infections 2. Treatment Guidelines, 2021". https://www.cdc.gov/mmwr/volumes/70/rr/rr7004a1.htm



A DIVISIO GENES CLINICAL DIAGNOSTICS (





Now Available

Genetic Carrier Screening

Available from whole blood.

ACOG Recommends Offering Carrier Screening to All Women, Regardless of Ethnicity or Family History...

1274 Genetic Carrier Screening Panel (2 genes) includes:

- Cystic Fibrosis Core Test (23 major CFTR variants approved by ACOG/ACMG)
- Spinal Muscular Atrophy
- 1. American College of Obstetricians and Gynecologists Committee on Genetics. ACOG Committee Opinion No. 691: Carrier Screening for Genetic Conditions. Obstet Gynecol 2017 Mar;129(3):e41-e55.



IH0012 Upd: 9_2023


CLINICAL DIAGNOSTICS

An Even Better Choice....

HPV Type-Detect 4.0[®] by Multiple Real-Time PCR

Simple & Convenient Specimen Collection

- Differentiates between 13 HR HPVs
- Determines patient's specific HPV type(s)
- Detects newly acquired HPV infections
- Detects multiple infections
- No cross-reaction with other HPV types
- Not affected by blood & excess mucus





The only test that offers type specific detection of 13 HPV types in a single vial



For Men: Urethral Swab

OneSwab







The ABC's of Vaginal Health...



LOT

OneSwab

182 Aerobic Vaginitis (AV) Group B Streptococcus (GBS)

- Staphylococcus aureus
- Escherichia coli
- Enterococcus faecalis

759 Bacterial Vaginosis (BV) with Lactobacillus Profiling by PCR

- Fannyhessea vaginae (Atopobium vaginae) •
- Bacterial Vaginosis Associated Bacteria 1
- Bacterial Vaginosis Associated Bacteria 2
- Bacterial Vaginosis Associated Bacteria 3
- Bacteroides fragilis
- Bifidobacterium breve
- Gardnerella vaginalis

- Megasphaera type 1
- Megasphaera type 2
- Mobiluncus curtisii
- Mobiluncus mulieris
- Prevotella bivia
- Sneathia sanguinegens
- Streptococcus anginosus

Considered Medically Necessary by the CDC and Aetna for the Management of Vaginitis and the Diagnosis of Bacterial Vaginosis in Symptomatic Women^{1, 2}

560 Candida Vaginitis (CV)

- Candida albicans
- Candida glabrata
- Candida krusei
- Candida parapsilosis
- Candida tropicalis

Fluconazole Resistance **Testing Available**

Diagnostic Advantages...

- One vial, multiple pathogens
- DNA amplification via PCR technology
- Microbial drug resistance profiling
- High precision robotic accuracy
- High diagnostic sensitivity & specificity
- Specimen viability up to 5 days after collection
- Test additions available up to 30 days after collection
- No refrigeration required before or after collection
- Blood and excess mucus will not affect results.



References:

- Diagnosis of Vaginitis 2022, October 31 . "Diagnosis of Vaginitis". https://www.aetna.com/cpb/medical/data/600_699/0643.html 1.
 - Workowski KA, Bachmann LH, Chan PA, et al. 2021, July 23. "Sexually Transmitted Infections Treatment Guidelines, 2021 ". https://www.cdc.gov/mmwr/volumes/70/rr/rr7004a1.htm







Founded in 1998, Medical Diagnostic Laboratories (MDL) serves mainly as a reference laboratory for molecular diagnostic based testing to laboratories, hospitals and physicians worldwide. The success of MDL is attributed directly to client retention through our ability to customize our unique services to specifically address the individual needs of our clients. Enhanced turnaround time, cost effectiveness, and the capability to tailor services to best suit the needs and budgets of our clients gives MDL a distinct advantage over its competitors.

MDL specializes in high complexity, state-of-the-art, automated DNA-based molecular analysis. By utilizing molecular techniques, MDL is able to provide clinicians from many different specialties valuable diagnostic information to assist in the detection, diagnosis, evaluation, and treatment of bacterial, viral and fungal infections as well as genetic based testing and cancer diagnostics. For example, the unique testing MDL offers for the specialties of Urology, Gynecology and Pediatric Medicine enables the detection of multiple pathogens from a single swab by Polymerase Chain Reaction (PCR) testing. MDL's primary focus is in the fields of infectious disease testing for Women's Health and Gynecology, Pediatric Respiratory Infections, Urology, Vector-borne Diseases, Mycology and chronic illnesses.

Laboratory Licenses and Permits

MEMBER OF GENESIS BIOTECHNOLOGY GROUP

MDL is routinely inspected by both the New Jersey State Department of Health and the College of American Pathologists (CAP). MDL also participates in the proficiency testing programs administered by both CAP as well as the American Proficiency Institute to maintain licensing in multiple states. MDL is accredited by CAP which is an internationally recognized program designed to advance the quality of Laboratory Services. Through the use of rigorous checklists designed to improve the overall quality practice of the management and operation of a clinical laboratory in combination with routine peer-led inspections, a laboratory can gain accreditation by meeting or exceeding CAP standards. CAP standards are recognized to be the highest standards of excellence. MDL has continually maintained exemplary ratings by these agencies.



The testing offered by Medical Diagnostic Laboratories is developed and validated by MDL's Research & Development Department. The R&D Department performs studies on sensitivity, specificity, interference, optimization, accuracy, and precision prior to offering testing for a specific pathogen by PCR. These studies are used to establish the ability of the PCR method to detect specific genetic sequences of a target pathogen within a given clinical specimen.



IH0051 7 2024

PCR Testing For Best Results

The proper specimen collection technique is very important in identifying pathogens from DNA. Medical Diagnostic Laboratories provides the **OneSwab®**, and **UroSwab®** specimen collection platforms for your convenience. For women, the sequence of Pap testing in relation to other cervical or vaginal specimens does not appear to influence Pap test results or their interpretation. Therefore, when other specimens are collected for gynecological testing, the Pap test can be obtained last.

Collecting samples with **OneSwab**®

- Step 1. Firmly, yet gently, sample the endocervical canal with the sterile swab rotating it 360° for 10 to 30 seconds to ensure adequate sampling. When sampling a crusted over lesion, moisten the swab in sterile saline prior to taking the sample.
- Step 2. Remove the swab and place into the vial. Break the shaft at scored break point and insert into transport medium.
- Step 3. To prevent leakage, be sure the swab fits into the vial prior to capping. Tightly cap the vial and label with a minimum of two patient identifiers such as name and date of birth. For packaging and shipping instructions, please refer to MDL's catalog of services.

Collecting samples for Vaginal Group B Strep (GBS) with **OneSwab**[®]

Obtaining specimens for the diagnosis of GBS infection from both the anorectum and the distal vagina increases the sensitivity by a considerable percentage (5% to 25%) over vaginal swabbing alone. Within the genital tract, the highest isolation rates are reported from introitus and the lowest from the cervix. Pregnancy does not influence colonization.



LOT

OneSwab

Collecting samples of loose stool specimens with **OneSwab**[®]

- Step 1. Utilize the swab provided to obtain a sample of loose stool and insert into the vial.
- Step 2. Break the shaft at molded break point and insert into transport medium.
- Step 3. To prevent leakage, be sure the swab fits into the vial prior to capping. Tightly cap the vial and label with a minimum of two patient identifiers such as name and date of birth. For packaging and shipping instructions, please refer to MDL's catalog of services.

Collecting samples with UroSwab®



- Step 1. Urine collection should be at least one hour between voids.
- Step 2. Have the patient collect a urine sample in a urine container.
- Step 3. Dip the sponge into the urine container.
- Step 4. Place the sponge into the vial. To prevent leakage, tightly cap the vial. Label with a minimum of two patient identifiers such as name and date of birth. For packaging and shipping instructions, please refer to MDL's catalog of services.



Urinary Tract Infections

Urinary tract infections are a major cause of morbidity in the United States. They are the second most common infection after respiratory infections, and largely affect women. Approximately 11% of women suffer from a UTI, 60% of women will have at least one UTI during their lifetime, 25% of UTIs will recur within six months of the initial infection. Although UTIs are not sexually transmitted, they frequently occur in young, sexually active women, although they are by no means confined to this population. Medical Diagnostic Laboratories (MDL) has developed sensitive and specific Real-Time PCR tests to detect these pathogens in UroSwab[®] specimens to assist the physician in the diagnosis of UTI. We offer two urinary tract infection panels:

Urinary Pathogens Antibiotic Resistance

E. coli Enterococcus faecium Klebsiella pneumoniae

- amoxicillin-clavulanic acid
- cephalothin (cephalexin)
- trimethoprim-sulfamethoxazole
- nitrofurantoin
- ciprofloxacin
- fosfomycin

•

Enterococcus faecalis Klebsiella oxytoca Proteus mirabilis

- ampicillin
- nitrofurantoin
- ciprofloxacin
- fosfomycin
- doxycycline
- linezolid

Urinary Tract Infection Tests Available (male and female specimens)

With colony additional cost

Test No. 6286 Urinary Pathogens Panel

- 153 Enterococcus faecalis by Real-Time PCR
- 154 Enterococcus faecium by Real-Time PCR
- 141 Escherichia coli by Real-Time PCR
- 127 Group B Streptococcus (GBS) by Real-Time PCR
- 137 Group B Streptococcus (GBS) Antibiotic Resistance
- 727 Klebsiella oxytoca
- 728 Klebsiella pneumoniae
- 146 Proteus mirabilis by Real-Time PCR
- 174 Pseudomonas aeruginosa by Real-Time PCR
- 151 Staphylococcus saprophyticus by Real-Time PCR
- 176 Urinary Pathogens Antibiotic Resistance Testing (E. coli, Enterococcus faecalis, Enterococcus faecium, K. oxytoca, K. pneumoniae, Proteus mirabilis)

Test No. 6815 Complex Urinary Tract Infection Panel

- Candida albicans by Real-Time PCR 551
- 576 Candida dubliniensis by Real-Time PCR
- 559 Candida glabrata by Real-Time PCR
- 578 Candida kefyr by Real-Time PCR
- 566 Candida krusei by Real-Time PCR
- 577 Candida lusitaniae by Real-Time PCR
- 558 Candida parapsilosis by Real-Time PCR
- 557 Candida tropicalis by Real-Time PCR
- 129 Mycoplasma genitalium by Real-Time PCR (Reflex to antibiotic resistance by Molecular Analysis)
- 130 Mycoplasma hominis by Real-Time PCR
- Ureaplasma parvum by Real-Time PCR (Reflex to antibiotic resistance by Molecular Analysis) 178
- Ureaplasma urealyticum by Real-Time PCR (Reflex to antibiotic resistance by Molecular Analysis) 320



counts at no

Escherichia coli

Enterococcus species

A DIVISION O

GEN





UroSwab®

The introduction of molecular techniques, such as the Polymerase Chain Reaction (PCP) method offers a superior route of pathagen detection with a high diagnestic

(PCR) method, offers a superior route of pathogen detection with a high diagnostic specificity and sensitivity. MDL offers a number of assays for the detection of multiple pathogens associated with urological infections and sexually transmitted infections. The unrivaled sensitivity and specificity of the Real-Time PCR method in detecting infectious agents provides the clinician with an accurate and rapid means of diagnosis. This valuable diagnostic tool will assist the clinician with diagnosis, early detection, patient stratification, drug prescription, and prognosis. Tests currently available utilizing the *UroSwab*® specimen collection platform are listed to the side.

- · One vial, multiple pathogens
- DNA amplification via PCR technology
- Simple & Convenient Specimen Collection
- High precision robotic accuracy
- High diagnostic sensitivity & specificity
- Specimen viability up to 5 days after collection
- Test additions available up to 30 days after collection
- No refrigeration required before or after collection

Acinetobacter baumannii Gleimia europaea (Actinomyces europaeus) Schaalia (Actinomyces) turicensis Adenovirus Fannyhessea vaginae (Atopobium vaginae) Bacteroides ureolyticus Candida utilis Cytomegalovirus (CMV) Epstein-Barr virus (EBV) Gardnerella vaginalis Legionella pneumophila Lymphogranuloma venereum (LGV)

> Polyomavirus JC Prevotella Species Group 1 (P. bivia, P. disiens, P. intermedia, P. melaninogenica) Prevotella Species Group 2 (P. corporism, P. albensis) Serratia marcescens

Mycoplasma penetrans

Polyomavirus BK

URINARY TRACT INFECTIONS

Candida albicans Candida dubliniensis Candida glabrata Candida kefyr Candida krusei Candida lusitaniae Candida parapsilosis Candida tropicalis Enterobacter cloacae Enterococcus faecalis Enterococcus faecium Escherichia coli Group B Streptococcus (GBS) Group B Streptococcus (GBS) Antibiotic Resistance Klebsiella oxytoca Klebsiella pneumoniae Mycoplasma hominis Proteus mirabilis Pseudomonas aeruginosa Staphylococcus saprophyticus Urealplasma parvum (*Reflex to antibiotic resistance by Molecular Analysis)

Ureaplasma urealyticum (*Reflex to antibiotic resistance by Molecular Analysis)
 Urinary Pathogens Antibiotic Resistance Testing(E. coli, Enterococcus faecalis, Enterococcus faecium, Klebsiella oxytoca, Klebsiella pneumoniae, Proteus mirabilis)
 Urogenital Candidiasis Panel (C. albicans, C. glabrata, C. krusei, C. parapsilosis, C. tropicalis)
 Urogenital Mycoplasma Panel (M. genitalium*, M. hominis)

Urogenital Mycoplasma & Ureaplasma Panel (M. genitalium*, M. hominis, U. urealyticum*)

SEXUALLY TRANSMITTED DISEASE TESTING (male and female specimens)

Chlamydia trachomatis (*Reflex to antibiotic resistance by Molecular Analysis) +

Leukorrhea Panel (*N. gonorrhoeae*, C. trachomatis*, T. vaginalis*, Mycoplasma genitalium**)_‡ *Mycoplasma genitalium* (*Reflex to azithromycin & fluroquinolone resistance by Pyrosequencing) *Neisseria gonorrhoeae* (*Reflex to antibiotic resistance by Molecular Analysis) +

- N. gonorrhoeae* & C. trachomatis*
- Treponema pallidum (syphilis)

Trichomonas vaginalis (*Reflex to Metronidazole Resistance) ‡Applicable for adolescent females who are not candidates for pelvic exams.



* Reflex to antibiotic resistance by Molecular Analysis * Reflex to metronidazole resistance

LOT

UTOSWAD® Medical Diagnostic Laboratories, L.L.C.

UroSwab®

One Vial... Multiple Pathogens

Simple & Convenient Urine Specimen Collection



LOT

UTOSWAD[©] adical Diagnostic Laboratories, L.L.C





